



419 Fifth Street, Suite 2100
Defiance, OH 43512
Phone 419-782-6211
architects@beilharzinc.com

March 11, 2026

PAULDING COUNTY CARNEGIE LIBRARY
Community Hall and Library Annex
Paulding, Ohio

C3-4954

ADDENDUM 1

This Addendum becomes a part of the Contract Documents and modifies them only to the extent herein set forth. Bidders shall acknowledge receipt of this Addendum on the Bid Form. Each bidder is responsible for distribution of information conveyed by this Addendum to its subbidders and suppliers.

Attachments: Geotechnical Report

ITEM NO. 1: 003000 – Available Information

A Geotechnical Report prepared by GME Engineering is attached. Contractors may rely upon the accuracy of the technical data contained in this report, but not upon non-technical data, interpretations, or opinions contained therein. Contractor shall assume full responsibility with respect to subsurface conditions at the site.

ITEM NO. 2: Section 011000 – Summary of Work

Paragraph 1.04.A.3: Revise the Substantial Completion date to November 20, 2026.

ITEM NO. 3: Section 033000 – Cast-in-Place Concrete

Revise paragraph 2.07.C.3.a to read: Compressive Strength (28 day): Minimum 2000 psi.

ITEM NO. 4: Section 044300 – Stone Masonry

Paragraph 2.01.A: Add Stone Center.

ITEM NO. 5: Section 312000 – Earth Moving

Revise paragraph 3.04.F.2.a to read: Granular Fill and Backfill under Slabs and Paved Areas: ASTM D1557; 95%.

Delete paragraph 3.04.F.2.b.

END OF ADDENDUM